

## Alphacool DC-LT 2 2600rpm Ceramic - 12V DC (Sinus PCB)

Alphacool article number: 13332

Download Center



### Quick Info

In the world of water cooling, it is not always just about getting the maximum performance out of your own hardware. Sometimes, noise levels are far more important and with watercooling you can make a PC almost inaudible.

- Nearly silent thanks to 3-phase sine wave control
- Increased efficiency compared to the predecessor model
- Floating magnetic bearing
- Fast control

### Scope of delivery

1x Alphacool DC-LT 2 2600rpm Ceramic - 12V DC (Sinus PCB)

## Technical data

Speed	2600 RPM
Dimensions (WxHxD)	52 x 41 x 18mm (without cable)
Cable length	30 cm
Weight	39g
Voltage	6-13,5V DC
Power consumption	3,2 W
Maximum flow rate	72 L/h
Maximum head	1 m
Power connection	3-pin fan connector
MTBF	50.000h

## Download links

Product pictures	<a href="#">13332_Alphacool_DC-LT_2_2600rpm_Ceramic_-_12V_DC_(Sinus_PCB)_pics.zip</a>
------------------	---

## Packaging dimensions per unit

L x W x H	105 x 70 x 35 mm
Weight	58 g

## Other data

Certificates	CE, FC, ROHS
EAN	4250197133326
Customs code	84195080900

## Article text

In the world of water cooling, it is not always just about getting the maximum performance out of your own hardware. Sometimes, noise levels are far more important and with watercooling you can make a PC almost inaudible.

### What is that?

The Alphacool DC-LT 2 2600rpm Ceramic is a pump which is designed for use in computer water cooling systems. Even the previous model was considered a quiet little wonder. Now Alphacool has improved this product considerably thanks to the experience gained. With this pump, small to medium-sized water loops can be operated almost silently. Alphacool already uses this pump successfully in the GPU-AiO Eiswolf 2 which, in various independent tests, was classified as inaudible.

### How is the quiet running of this pump achieved?

There are several points to mention: The true 3-phase sinusoidal control of the pump contributes to the extremely quiet running of this pump. The impeller is suspended on a ceramic axle with two magnets. The ceramic axle is manufactured with high precision and the impeller is cleanly balanced. All these details contribute to the Alphacool DC-LT 2 2600rpm Ceramic pump is virtually silent.

### What else is special about this pump?

The control of the pump, the mechanics and thus the pump itself is highly efficient. Compared to other models, the power consumption is significantly lower with the same or even higher power output. It has a wide control range and starts reliably from 6V power supply.