


Alphacool Eisblock Aurora Geforce RTX 4080 GameRock - Phantom with Backplate

Alphacool article number: 13554





Quick Info

The next generation - the Alphacool Eisblock Aurora water cooler for Geforce RTX 4XXX graphics cards. In order to dissipate the enormous heat of this graphics card generation in the best possible way, numerous optimizations have been made to the water cooler compared to the previous model. The fin structure was adapted and enables a very good water flow while increasing the cooling surface. The modified jet plate with improved inflow engine ensures an optimal distribution of the water on the cooling fins.

- Optimised fin structure enables very good water flow & increase of cooling surface
- Modified jet plate ensures optimal distribution of the water on the cooling fins
- Chrome-plated copper cooler
- Visually calm & simple design with digital aRGB illumination

Compatibility

- Gainward GeForce RTX 4080 Phantom GS, 16GB GDDR6X (3499)
- Gainward GeForce RTX 4080 Phantom, 16GB GDDR6X (3505)
- Palit GeForce RTX 4080 GameRock OC, 16GB GDDR6X (NED4080S19T2-1030G)
- Palit GeForce RTX 4080 GameRock OmniBlack, 16GB GDDR6X (NED4080019T2-1030Q)
- Palit GeForce RTX 4080 GameRock, 16GB GDDR6X (NED4080019T2-1030G)

Scope of delivery

 1x Eisblock Aurora Acryl GPX-N RTX 4080 GameRock 1x Thermal grease

 Phantom
 1x Putty tool

 1x Backplate
 6x M2x5mm Screw

 2x 42x15x1mm Pad
 1x 45x45x3mm GPU-Pad

 1x 25x15x1mm Pad
 3x 40x8x3mm Pad

 2x 100x8x1mm Pad
 2x 100x8x3mm Pad

 3x 8x8x1mm Pad
 4x M2x11mm Scrow

 3x 8x8x1mm Pad
 6x M2x11mm Screw

 1x PCI Bracket
 1x ARGB Adaptor

 1x M2x5mm Screw
 2x G1/4" Plug

7x EVA Washer

1x M2 Nut

Technical data cooler

LxWxH	215,50 x 145,90 x 34,17mm
Material cooler	chrome-plated copper
Material cooler top	acrylic
Pressure tested	0,8 bar
Max working temperature	60°C
Threads	4 x G1/4"
Thickness cooling fins	0,4mm
Distance cooling fins	0,4mm
Illumination	digital aRGB LEDs
Power connector digital aRGB LEDs	3-Pin JST
Power digital aRGB LEDs	5V
Number of digital aRGB LEDs	12

1x Plug tool

Technical data backplate

LxWxH	215,50 x 121,40 x 6mm
Material	aluminium
Color	black

Download links

Manual	13554_Alphacool_Eisblock_Aurora_Geforce_RTX_4080_GameRockPhantom_with_Backplate_Manual.pdf
Product pictures	13554_Alphacool_Eisblock_Aurora_Geforce_RTX_4080_GameRockPhantom_with_Backplate_pics.zip

Packaging dimensions per unit

LxWxH	355 x 170 x 45 mm
Weight	1500 g

Other data

Certificates	CE, FC, RoHS
EAN	4250197135542
Customs code	84195080900

Article text

The next generation - the Alphacool Eisblock Aurora water cooler for Geforce RTX 40XX graphics cards. In order to dissipate the enormous heat of this graphics card generation in the best possible way, numerous optimizations have been made to the water cooler compared to the previous model. The fin structure was adapted and enables a very good water flow while increasing the cooling surface. The modified jet plate with improved inflow engine ensures an optimal distribution of the water on the cooling fins.

Technical Highlights

The fin structure of this Eisblock cooler generation was developed together with Nvidia board partners. The fin thickness is 0.4 mm, the distance between the cooling fins is 0.4 mm. This ensures a very good water flow while increasing the cooling surface. The jet plate has a revised inlay that spreads the water pressure better over the fins thus optimizing the heat absorption. The adjusted water inflow gives the water a better angle of inflow.

Chrome-plated copper


The cooler is made entirely of chrome-plated copper. A chrome plating is much harder than a nickel plating and therefore less sensitive to acids, scratches and damage. It completely eliminates the risk of chipping nickel plating. Additionally, chrome plating looks much more homogeneous and provides a shine that cannot be achieved by nickel plating. Chrome-plated coolers have previously only been used in the industrial sector in areas where extreme influences act on the coolers.


Design

The Aurora design of the Geforce RTX 40XX Eisblock generation is visually calmer and simpler. Only one 0-ring runs around the entire cooler. The design around the cooling fins and jetplate makes for a cleaner look. The illumination of the digitally addressable RGB LEDs is even better distributed throughout the cooler as a result of the chrome plating. The terminal's design is in line with the classic Aurora design.

Thermal paste & thermal pads

The included thermal compound is Alphacool's Subzero. With a thermal conductivity of 16 W/mK, it is one of the highest performing thermal pastes on the market. The electrically non-conductive thermal compund is particularly well suited for high contact pressures, but can still be processed perfectly due to its viscosity of 850,000 TF. Alphacool Soft Pads with 1mm thickness are used on the voltage converter and the graphics memory. The thermal conductivity of the pads is 7 W/mK. The pads for the back of the PCB are 3mm thick and have a thermal conductivity of 3 W/mK.







General tolerance: ± 0,25mm Dimension in millimeter