Download Center

Alphacool NexXxoS ST30 Full Copper 280mm radiator V.2

Alphacool article number: 14280

Quick Info

The Alphacool NexXxoS V.2 Radiator series represents the next generation of high-end solid copper radiators. They offer not only a new design, but also new technical highlights such as the patented locking screws, which are now flush with the radiator.

- patented screw plugs
- new, modern design
- solid copper radiator

Scope of delivery

8 x M3x8
8 x M3x30
8 x M3x45
2 x screw plug
1 x allen key
1 x screw plug tool

We assume no responsibility for any typing errors. Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 7400 Supportmail: info@alphacool.com

Technical data

L x W x H	316 x 144 x 30 mm
Quantity of cooling channels	14
Net weight	679 g
Max working temperature	180 °C
Material cooling fins	copper
Material cooling channels	copper
Prechamber material	copper
Material outer housing	steel
Fins per Inch	15
Threads	5x G1/4“
Thread size fan mounting	M3
Fan size	140 mm
Fan slots	2 one-sided / 4 both-sided
Pressure tested	0,8 bar

Download links

Manual	14280_Alphacool_NexXxoS_ST30_Full_Copper_280mm_radiator_V.2_Manual.pdf
Product pictures	14280_Alphacool_NexXxoS_ST30_Full_Copper_280mm_radiator_V.2_pics.zip
EU-DoC / CE / RoHS	Alphacool_EuDoc_CE_RoHS_14280.pdf

Packaging dimensions per unit

L x W x H	158 x 384 x 58 mm
Weight	879 g

Other data

Certificates	CE, FC, RoHS
EAN	4250197142809
Customs code	84195080900
Guarantee	10 years

Article text

It's the best system because it's your system! Only be satisfied with perfection! The new Alphacool NexXxos V.2 radiators will take you to the next level!

Increase the performance of your system with the new Alphacool NexXxos V.2 radiators.

New and yet proven

Alphacool also has been able to combine the best quality with the most beautiful design for the NexXxos V.2 radiators. The end chambers have been manufactured in a noble, modern design. In addition, the NexXxos ST30 V.2 radiators now also have a G1/4"; connection at the opposite end chamber than the inlet/outlet for easy bleeding of the loop. Mount your Alphacool NexXxos radiator in any position, the possibilities are unlimited.

Countersunk screw plugs - anything but ordinary

For the first time Alphacool has created countersunk the screw plugs for the NexXxoS range. This unique, patented design allows you to stay flexible with your Alphacool NexXxos V.2 Radiator. Mount your radiator the way you want it. Thanks to the differently positioned inlets and outlets, you remain individual and unique.

Solid copper - the best performance at the highest level

As always with Alphacool, the new Alphacool NexXxos series is also made of solid copper. Thus, the Alphacool NexXxos radiators offer you the highest thermal conductivity for the best performance. Rely on the No. 1 in materials.

Different sizes - same quality

The new Alphacool NexXxos V.2 is available in many different sizes and thicknesses. Thanks to its special shape, installation is child's play, even with the larger radiators. Decide for yourself which size is perfect for your system and always choose the best quality.

ATTENTION: The NexXxoS V.2 radiators are only compatible with connections with a maximum thread length of 5 mm.