

Alphacool NexXxoS ST30 Full Copper 280mm radiator V.2

Alphacool article number: 14280



V. 1.001 // 06.2024



Quick Info

The Alphacool NexXxoS V.2 Radiator series represents the next generation of high-end solid copper radiators. They offer not only a new design, but also new technical highlights such as the patented locking screws, which are now flush with the radiator.

- patented screw plugs
- new, modern design
- solid copper radiator

Scope of delivery

8 x M3x8 8 x M3x30 8 x M3x45 2 x screw plug 1 x allen key 1 x screw plug tool

Technical data 316 x 144 x 30 mm LxWxH Quantity of cooling channels 14 Net weight 679 g Max working temperature 180 °C Material cooling fins copper Material cooling channels copper Prechamber material copper Material outer housing steel 15 Fins per Inch Threads 5x G1/4" М3 Thread size fan mounting Fan size 140 mm 2 one-sided / 4 both-sided Fan slots Pressure tested 0,8 bar

Download links

| Manual | 14280_Alphacool_NexXxoS_ST30_Full_Copper_280mm_radiator_V.2_Manual.pdf |
|------------------|------------------------------------------------------------------------|
| Product pictures | 14280_Alphacool_NexXxoS_ST30_Full_Copper_280mm_radiator_V.2_pics.zip |

| Packaging dimensions per unit | | | |
|-------------------------------|-------------------|--|--|
| L x W x H | 158 x 384 x 58 mm | | |
| Weight | 879 g | | |

| Other data | | |
|--------------|---------------|--|
| Certificates | CE, FC, RoHS | |
| EAN | 4250197142809 | |
| Customs code | 84195080900 | |
| Guarantee | 10 years | |

Article text

It's the best system because it's your system! Only be satisfied with perfection! The new Alphacool NexXxos V.2 radiators will take you to the next level!

Increase the performance of your system with the new Alphacool NexXxos V.2 radiators.

New and yet proven

Alphacool also has been able to combine the best quality with the most beautiful design for the NexXxos V.2 radiators. The end chambers have been manufactured in a noble, modern design. In addition, the NexXxos ST30 V.2 radiators now also have a G1/4"; connection at the opposite end chamber than the inlet/outlet for easy bleeding of the loop. Mount your Alphacool NexXxos radiator in any position, the possibilities are unlimited.

Countersunk screw plugs - anything but ordinary

For the first time Alphacool has created countersunk the screw plugs for the NexXxoS range. This unique, patented design allows you to stay flexible with your Alphacool NexXxos V.2 Radiator. Mount your radiator the way you want it. Thanks to the differently positioned inlets and outlets, you remain individual and unique.

Solid copper - the best performance at the highest level

As always with Alphacool, the new Alphacool NexXxos series is also made of solid copper. Thus, the Alphacool NexXxos radiators offer you the highest thermal conductivity for the best performance. Rely on the No. 1 in materials.

Different sizes - same quality

The new Alphacool NexXxos V.2 is available in many different sizes and thicknesses. Thanks to its special shape, installation is child's play, even with the larger radiators. Decide for yourself which size is perfect for your system and always choose the best quality.

ATTENTION: The NexXxoS V.2 radiators are only compatible with connections with a maximum thread length of 5 mm.