

Alphacool Core 120mm fan PWM 2500rpm (120x120x25mm)

Alphacool article number: 24852



Quick Info

Alphacool's Core 120mm is a quiet and efficient fan with a wide control range up to 2500 rpm. The PWM controllable fan is not only suitable as a fan on CPU coolers or radiators. Due to its excellent performance values (throughput & static pressure), it can also be used as a case fan. The hydraulically mounted fan axis is smooth running and enables a long service life as well as quiet operation. If you are looking for a powerful fan without aRGB illumination, you will find it in Alphacool's Core 120mm model!

- Hydraulically mounted fan axis for quiet and efficient running
- High air flow & static pressure
- Wide, via PWM controllable speed range

Scope of delivery

1x Alphacool Core 120mm fan PWM 2500 (120x120x25mm), black

Technical data

Dimension (L x W x H)	120 x 120 x 25mm
Material	synthetic material (PBT UL94V-0)
Bearing Type	hydraulic Bearing
Rated Voltage	DC 12V
Operating Voltage	DC 7-14V
Start-up Voltage	7V
Rated Current	0.3 (Max: 0.4) A
Rated Power	3.6 (Max: 4.8) W
Control Range	0 - 2500 rpm \pm 10%
Max. Air Flow	72.63 CFM
Max. Static Pressure	2.42 mm/H ₂ O
Noise level	36.6 (Max: 37.8) dBA
Life Expectance	50000 h at 25 degrees celcius
Connection	4-Pin PWM
Speed Control Mode	via PWM
Operating Temperature	-10~+55 degrees celcius
Other Features	Tachometer Output, Auto Start, Soft Start, Waterproof Level IP22

Download links

Product pictures	24852_Alphacool_Core_120mm_fan_PWM_2500rpm_(120x120x25mm)_pics.zip
------------------	--

Packaging dimensions per unit

L x W x H	140 x 125 x 35 mm
Weight	160 g

Other data

Certificates	CE, FC, RoHS
EAN	4250197135856
Customs code	84145915000
Guarantee	3 years

Article text

Alphacool's Core 120mm is a quiet and efficient fan with a wide control range up to 2500 rpm. The PWM controllable fan is not only suitable as a fan on CPU coolers or radiators. Due to its excellent performance values (throughput & static pressure), it can also be used as a case fan. The hydraulically mounted fan axis is smooth running and enables a long service life as well as quiet operation. If you are looking for a powerful fan without aRGB illumination, you will find it in Alphacool's Core 120mm model!

Connections

The fan is controlled via a 4-pin PWM connector. The cable is 40cm long. This allows the fan to be connected directly to the motherboard or a dedicated controller without the use of additional adapter cables or extensions.

Control range


The fan can be controlled from 0 to 2500 rpm via the 4-pin PWM connector. At maximum speed, it allows an airflow of 72.63 CFM combined with a high static pressure of 2.42 mm/H₂O. This makes the fan perfect for mounting on radiators of a water cooling system or for ventilating a case.

Drawing (1)

5. P-Q Characteristic curve test:

Test conditions and methods	
Testing Method : Constant Voltage	
Barometric Pressure: 752.4 mmHg	At Rated Voltage
Relative Humidity: 66.825%	Temperature: 25° C
test data : (Max Ps) :2.42mmAq (Max Flow Rate) :72.63CFM	

P-Q Curve



Drawing (2)

