



ALPHACOOOL – THE COOLING COMPANY



Alphacool VPP755

What is it?

The Alphacool VPP755 is a completely new development and fully compatible with all Laing D5 pump tops. It offers, compared to a classic D5 pump, more performance at a significantly reduced noise level. Unique is the possibility to control the pump parallel via the PWM connection and the potentiometer.

Highlights

- More powerful than standard D5 pumps
- Adjustable via potentiometer and PWM
- Quieter than a standard D5 pump
- Maximum speed when starting the pump, for a safe start of the pump

Version: 30.08.2021

We assume no responsibility for any typing errors.

Alphacool International GmbH, Marienberger Strasse 1, 38122 Braunschweig Tel: (+49)0531 288 740 Supportmail: info@alphacool.com

Scope of delivery	
1 pcs O-ring	

Technical datas VPP 755 V.2/V.3	
W x D x H	60 x 60 x 53,5 mm
Colore	grey anodized
Net weight	267 g
Max working temperature	60 °C
Material axis	Ceramic
Material pompe	plastic
Material pump top	Aluminium
Power consumption	14 W
Voltage	12V DC
Control range	8 - 13 V DC
Power connection	4-Pin Molex
Control	Potentiometer und 4-Pin PWM
Head pressure	4 m
Max flow	350 l/h

Product pics Download	https://www.alphacool.com/download/1012423_Alphacool_VPP755_product_pics.zip
------------------------------	---

Manual Download	http://www.alphacool.com/download/VPP%20755.pdf
------------------------	---

Other datas	
Article number Alphacool	13294
EAN code	4250197132947
PU	I
dimensions PU BxTxH /	9,3 x 7,5 x 7,5 cm
weight	314
Customs code	84733080000

Article text

The new Alphacool Eispump VPP755 - Single Edition V.3 takes your system to the next level of evolution in pump technology.

More power - lower consumption

Thanks to the ceramic axle, the Alphacool VPP755 Eispump is smoother to run. The external motor coils also ensure greater stability and less vibration. Thanks to the delivery height of 4.25m, the Alphacool VPP755 Eispump delivers more power than its predecessor. Enjoy full power at half power consumption.

5 control levels - it's your choice

Alphacool gives you many possibilities to control your Alphacool Eispump VPP755. Control it classically via PWM or by using the manual rotary switch directly on the pump. You can set your preferred speed directly via the 5 levels. Use the unique interaction of the manual adjustment possibilities when combining them with the PWM control. Create perfect flow through accurate settings!

Facelift for your system

Decide for yourself what has priority in your system, because the Alphacool VPP755 Eispumpe is shorter than the classic D5 pump and the high-quality aluminium housing makes your system a visual highlight. Combine your Alphacool Eispump VPP755 with the Alphacool Eisvoer V.3 and make your hardware look even more elegant or illuminate it in the strongest colours.