

## Alphacool Eisbaer (Solo) - 2600rpm - chrome

Alphacool article number: 12938



### Quick Info

Finally here! The solo version of the Alphacool Eisbaer in Chrome. Make your water cooling a visual highlight! This special variant in Chrome makes your system look very noble and uniform, especially with chrome fittings and tubing.

### Compatibility

Intel 775 / 1056 / 1155 / 1150 / 1151 / 1200 / 1700 / 2011 / 2011-3 / 2066

AMD AM2 / AM2+ / AM3 / AM3+ / FM1 / FM2 / FM2+ / AM4 / TR4 / sTRX4 / AM5

## Scope of delivery

- 1x Thermal paste
- 1x AMD Mounting Kit (screws, brackets etc. according to compatibility)
- 1x Intel Mounting Kit (screws, brackets etc. according to compatibility)
- 1x Mounting material

## Technical data pump housing

L x W x H	63 x 63 x 68mm
Threads	2x G1/4"

## Technical data pump

Speed	2600 RPM
Voltage	6-13,5V DC
Power consumption	3,2 W
Maximum flow rate	72 L/h
Maximum head	1 m

## Other technical data

Max working temperature	60 °C
Pressure tested	0,8 Bar

## Download links

Manual	<a href="#">12938_Alphacool_Eisbaer_(Solo)_-_2600rpm_-_chrome_Manual.pdf</a>
Product pictures	<a href="#">12938_Alphacool_Eisbaer_(Solo)_-_2600rpm_-_chrome_pics.zip</a>

## Packaging dimensions per unit

L x W x H	145 x 135 x 100 mm
Weight	570 g

## Other data

Certificates	CE, FC, ROHS
EAN	4250197129381
Customs code	84195080900

Finally here! The solo version of the Alphacool Eisbaer in Chrome. Make your water cooling a visual highlight! This special variant in Chrome makes your system look very noble and uniform, especially with chrome fittings and tubing.

### **Your System - Your Possibilities.**

Decide for yourself how to build up your loop. Thanks to the G1/4" connections, you can use all the standard water cooling fittings. This means you can choose the hose thicknesses, colors and fluids that match your system and make it as individual as you are!

### **Your Pump - Powerful, Quiet, Efficient**

Alphacool has installed the proven Alphacool DC-LT 2 Ceramic Pump in the Eisbaer Solo. The pump is well known for running extremely quietly. Due to the insulated pump housing you will hardly hear it and the vibrations are almost completely absorbed. You can also control it from the mainboard.