

Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alphacool Eisschicht Wärmeleitpad

Substance name: Alphacool Eisschicht Wärmeleitpad

Product group: Zulieferprodukt

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Heat transferring agent

1.3. Details of the supplier of the safety data sheet

Company name: Alphacool International GmbH

Tochtergesellschaft

Street: Marienberger Str. 1
Place: D-38122 Braunschweig

Telephone: 0531 28874-0 Telefax: 0531 28874-22

E-mail: info@alphacool.com

Contact person: Ronald Willms Telephone: 05207 95846-205

E-mail: einkauf@aquatuning.de lnternet: www.alphacool.com

1.4. Emergency telephone +49 (0) 6131 19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|------------|--|----------|----------|------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 63148-62-9 | Silicone oil | | | 5 - < 10 % |
| | 613-156-5 | | | |
| | Eye Irrit. 2, Aquatic Chronic 3; H319 H412 | | | |

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 2 of 7

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|--|---------------|------------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 63148-62-9 | 613-156-5 | Silicone oil | 5 - < 10 % |
| | dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Avoid dust formation. Do not breathe dust.

6.2. Environmental precautions

No special environmental measures are necessary. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 3 of 7

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

7.3. Specific end use(s)

Heat transferring agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|-----------|----------------------------------|-----|-------|-----------|-----------|--------|
| 1344-28-1 | Aluminium oxides, inhalable dust | - | 10 | | TWA (8 h) | WEL |

8.2. Exposure controls

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: grey
Odour: neutral
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

>65 °C

boiling range:

Flammability: not determined not applicable

Lower explosion limits: not determined



SMART AND EFFICIENT

Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 4 of 7

Upper explosion limits:

Flash point:

Auto-ignition temperature:

Decomposition temperature:

pH-Value:

Viscosity / kinematic:

Not determined

not determined

not determined

not determined

The study does not need to be conducted

The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

not determined Dissolution rate: Partition coefficient n-octanol/water: not determined Dispersion stability: not determined Vapour pressure: not determined Vapour pressure: not determined Density: 3,42 g/cm³ Relative density: not determined Bulk density: not determined Relative vapour density: not determined Particle characteristics: not determined

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Self-ignition temperature

Solid: not determined Gas: not applicable

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined Solvent separation test: not determined Solvent content: not determined Solid content: not determined Sublimation point: not determined Softening point: not determined Pour point: not determined not determined Viscosity / dynamic: not determined Flow time: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

none



Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 5 of 7

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Acute toxicity

| CAS No | Chemical name | | | | | |
|------------|----------------|---------------------|---------------|--------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 63148-62-9 | Silicone oil | | | | | |
| | oral | LD50 >5000 mg/kg | Rat | | | |
| | dermal | LD50 >2000 mg/kg | Albino rabbit | | | |

Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.



Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 6 of 7

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to Directive

2012/18/EU (SEVESO III):

Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Water hazard class (D): - - non-hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



Safety Data Sheet

according to UK REACH Regulation

Alphacool Eisschicht Wärmeleitpad

Revision date: 15.04.2024 Product code: 126 Page 7 of 7

Abbreviations and acronyms

Eye Irrit: Eye irritation

Aquatic Chronic: Chronic aquatic hazard CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Relevant H and EUH statements (number and full text)

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects. EUH210 Safety data sheet available on request.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)