

SMART AND EFFICIENT

# Salety Data Sheet

according to UK REACH Regulation

Revision date: 15.04.2024	Product code: 18	3545	Page 1 of §
SECTION 1: Identification of t	he substance/mixture and of the co	ompany/undertaking	
<b>1.1. Product identifier</b> Alphacool Eiswasser Crysta	al Green UV-aktiv		
Product group:	Mixtures		
1.2. Relevant identified uses of the	ne substance or mixture and uses advi	sed against	
Use of the substance/mixture Heat transfer fluids			
1.3. Details of the supplier of the Company name:	<u>safety data sheet</u> Alphacool International GmbH		
Company name.	Tochtergesellschaft		
Street:	Marienberger Str. 1		
Place:	D-38122 Braunschweig		
Telephone:	0531 28874-0	Telefax: 0531 28874-22	
E-mail:	info@alphacool.com		
Contact person:	Ronald Willms	Telephone:05207 95846-205	
E-mail:	einkauf@aquatuning.de		
Internet:	www.alphacool.com		
1.4. Emergency telephone	+49 (0) 6131 19240		

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

# 2.2. Label elements

# 2.3. Other hazards

Keine Daten verfügbar

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial			< 0.0001 %
	203-856-5 605-022-00-X			
	Acute Tox. 2, Acute Tox. 3, Skin Corr. 1B, Resp. Sens. 1, Skin Sens. 1A, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 2; H330 H301 H314 H334 H317 H335 H400 H411 EUH071			

Full text of H and EUH statements: see section 16.

Specific Co	nc. Limits, M-fa	actors and ATE	
CAS No	EC No	Chemical name	Quantity
	Specific Conc	. Limits, M-factors and ATE	
111-30-8	203-856-5 glutaral; glutaraldehyde; 1,5-pentanedial		< 0.0001 %
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); oral: ATE = 100 mg/kg STOT SE 3; H335: >= 0,5 - < 5 Aquatic Acute 1; H400: M=1		



SMART AND EFFICIENT

# according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 2 of 9

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

No special measures are necessary.

#### After inhalation

Provide fresh air. No special measures are necessary.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No known symptoms to date.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. No special measures are necessary.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Co-ordinate fire-fighting measures to the fire surroundings.

#### Unsuitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

Non-flammable.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Use personal protection equipment.

## 6.2. Environmental precautions

No special environmental measures are necessary.

# 6.3. Methods and material for containment and cleaning up

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Dilute with plenty of water.

# 6.4. Reference to other sections

Safe handling: see section 7



# Safety Data Sheet

according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 3 of 9

Personal protection equipment: see section 8 Disposal: see section 13

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

### Advice on safe handling

Keep locked up and out of reach of children.

Wash hands before breaks and after work.

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

## Advice on protection against fire and explosion

No special fire protection measures are necessary.

## Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

# Further information on handling

When using do not eat, drink, smoke, sniff.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Remove contaminated, saturated clothing.

Avoid contact with skin, eyes and clothes.

# 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up and out of reach of children. Keep container tightly closed and in a well-ventilated place.

## Hints on joint storage

No special handling advices are necessary.

## Further information on storage conditions

Keep container tightly closed and in a well-ventilated place.

# 7.3. Specific end use(s)

Heat transfer fluids

**SECTION 8: Exposure controls/personal protection** 

# 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
111-30-8	Glutaraldehyde	0.05	0.2		TWA (8 h)	WEL
		0.05	0.2		STEL (15 min)	WEL
1310-58-3	Potassium hydroxide	-	2		STEL (15 min)	WEL

# 8.2. Exposure controls

Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear eye/face protection.



# according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 4 of 9

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Use of protective clothing.

### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	light green	
Odour:	neutral	
Odour threshold:	not determined	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and		100 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		>100 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		8,9
Viscosity / kinematic:		not determined
Water solubility:		very soluble
Solubility in other solvents		·
not determined		
Dissolution rate:		not determined
Partition coefficient n-octanol/water:		not determined
Dispersion stability:		not determined
Vapour pressure:		not determined
Vapour pressure:		not determined
Density:		1,00 g/cm <sup>3</sup>
Relative density:		not determined
Bulk density:		not determined
Relative vapour density:		not determined
Particle characteristics:		not determined
9.2. Other information		
Information with regard to physical	hazard classes	
Explosive properties		
The product is not: Explosive.		
Self-ignition temperature		
Solid:		not determined
Gas:		not determined
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		



# according to UK REACH Regulation

Alphacool Eiswasser Crystal Green UV-aktiv				
Revision date: 15.04.2024	Product code: 18545	Page 5 of 9		
Evaporation rate:	not determined			
Solvent separation test:	not determined			
Solvent content:	not determined			
Solid content:	not determined			
Sublimation point:	not determined			
Softening point:	not determined			
Pour point:	not determined			
	not determined			
Viscosity / dynamic:	not determined			
Flow time:	not determined			

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No known hazardous reactions.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

none

## 10.5. Incompatible materials

No known hazardous reactions.

## 10.6. Hazardous decomposition products

The product is stable under storage at normal ambient temperatures.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

## ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
111-30-8	glutaral; glutaraldehyde; 1,5-pentanedial					
	oral	ATE 10 mg/kg	00			
	inhalation vapour	ATE 0,	,5 mg/l			
	inhalation dust/mist	ATE 0,	,05 mg/l			

# Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

# Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction



SMART AND EFFICIENT

# according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 6 of 9

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

#### **Further information**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

There are no data available on the mixture itself.

# 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

There are no data available on the mixture itself.

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

There are no data available on the mixture itself.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

There are no data available on the mixture itself.

#### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### **Disposal recommendations**

Dispose of waste according to applicable legislation. Dispose of waste according to applicable legislation.

## List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

# Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Water

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.



SMART AND EFFICIENT

# according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Product code: 18545

Page 7 of 9

Revision date: 15.04.2024	Product code: 18545
Inland waterways transport (ADN)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
Danger releasing substance:	No dangerous good in sense of this transport regulation.
14.6. Special precautions for user	
No dangerous good in sense of this tr	
14.7. Maritime transport in bulk according	to IMO instruments
No dangerous good in sense of this tr	ansport regulation.
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture
EU regulatory information	
Authorisations (REACH, annex XIV):	
Substances of very high concern, SVI	HC (REACH, article 59):
glutaral; glutaraldehyde; 1,5-pentaned	lial
Restrictions on use (REACH, annex XVII) Entry 75	r.
Directive 2010/75/EU on industrial emissions:	0,09 % (0,9 g/l)
Directive 2004/42/EC on VOC in paints and varnishes:	0,23 % (2,3 g/l)
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)
National regulatory information	
Water hazard class (D):	non-hazardous to water
15.2. Chemical safety assessment	
	stances in this mixture were not carried out.

# **SECTION 16: Other information**



according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 8 of 9

Abbreviations and acro	
Acute Tox: Acute to	•
Skin Corr: Skin corro	
Resp. Sens: Respire	atory sensitisation
Skin Sens: Skin sen	
	arget organ toxicity - single exposure
Aquatic Acute: Acute	
Aquatic Chronic: Ch	
	labelling and Packaging
REACH: Registration	n, Evaluation and Authorization of Chemicals
GHS: Globally Harm	onised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations	
CAS: Chemical Abst	tracts Service
DNEL: Derived No E	Effect Level
DMEL: Derived Mini	mal Effect Level
PNEC: Predicted No	Effect Concentration
ATE: Acute toxicity e	estimate
LC50: Lethal concer	itration, 50%
LD50: Lethal dose, 5	50%
LL50: Lethal loading	, 50%
EL50: Effect loading	, 50%
EC50: Effective Con	centration 50%
ErC50: Effective Cor	ncentration 50%, growth rate
NOEC: No Observed	d Effect Concentration
BCF: Bio-concentrat	ion factor
PBT: persistent, bioa	accumulative, toxic
vPvB: very persisten	nt, very bioaccumulative
ADR: Accord europé	éen sur le transport des marchandises dangereuses par Route
(European Agreeme	nt concerning the International Carriage of Dangerous Goods by Road)
RID: Regulations co	ncerning the international carriage of dangerous goods by rail
ADN: European Agr	eement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen re	elatif au transport international des marchandises dangereuses par voies de navigation
intérieures)	
IMDG: International	Maritime Code for Dangerous Goods
EmS: Emergency So	chedules
MFAG: Medical First	t Aid Guide
IATA: International A	Air Transport Association
ICAO: International	Civil Aviation Organization
MARPOL: Internatio	nal Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bu	ulk Container
SVHC: Substance of	f Very High Concern
For abbreviations an	nd acronyms, see table at http://abbrev.esdscom.eu
VOC: Volatile Organ	lic Compounds
For abbreviations an	nd acronyms, see: ECHA Guidance on information requirements and chemical safety
assessment, chapte	r R.20 (Table of terms and abbreviations).
Relevant H and EUH st	atements (number and full text)
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H33/	Nav cause allergy or asthma symptoms or breathing difficulties if inhaled

- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.



# according to UK REACH Regulation

# Alphacool Eiswasser Crystal Green UV-aktiv

Revision date: 15.04.2024

Product code: 18545

Page 9 of 9

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations. The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)