

Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Alphacool ES Liquid GL50 (-40°C) 1000ml

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Heat transferring agent

1.3. Details of the supplier of the safety data sheet

Company name: Alphacool International GmbH

Tochtergesellschaft

Street: Marienberger Str. 1
Place: D-38122 Braunschweig

Telephone: 0531 28874-0 Telefax: 0531 28874-22

e-mail: info@alphacool.com

Contact person: Ronald Willms Telephone: 05207 95846-205

e-mail: einkauf@aquatuning.de Internet: www.alphacool.com

1.4. Emergency telephone +49 (0) 6131 19240

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 STOT SE 2; H371

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

ethanediol; ethylene glycol

2,2'-oxybisethanol; diethylene glycol

Signal word: Warning

Pictograms:





Hazard statements

H302 Harmful if swallowed.

H373 May cause damage to organs (...) through prolonged or repeated exposure.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 2 of 9

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Pictograms:





2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity	
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation	1)			
107-21-1	ethanediol; ethylene glycol				
	203-473-3	603-027-00-1			
	Acute Tox. 4; H302				
111-46-6	2,2'-oxybisethanol; diethylene glycol				
	203-872-2	603-140-00-6			
	Acute Tox. 4; H302				
12179-04-3	-3 disodium tetraborate pentahydrate; borax pentahydrate			<2 %	
	215-540-4	005-011-02-9			
	Repr. 1B; H360FD				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. I	Limits, M-factors and ATE	
107-21-1	203-473-3	ethanediol; ethylene glycol	80-95 %
	dermal: LD50 =	LD50 = 10600 mg/kg; oral: ATE = 500 mg/kg	
111-46-6	203-872-2	2,2'-oxybisethanol; diethylene glycol	0-15 %
	dermal: LD50 = 11890 mg/kg; oral: ATE = 500 mg/kg		
12179-04-3	215-540-4	disodium tetraborate pentahydrate; borax pentahydrate	<2 %
	Repr. 1B; H360FD: >= 6,5 - 100		

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Symptoms may develop several hours following exposure; medical observation therefore necessary for at least 48 hours.

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

non-irritant.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 3 of 9

apart and consult an ophthalmologist.

After ingestion

IF SWALLOWED: Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Foam, Extinguishing powder, Sand

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Gases/vapours, toxic

5.3. Advice for firefighters

Use suitable breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Use suitable breathing apparatus. Provide adequate ventilation. Special danger of slipping by leaking/spilling product. Use of protective clothing

6.2. Environmental precautions

Dilute with plenty of water. Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Avoid: generation/formation of aerosols

Advice on protection against fire and explosion

Use suitable breathing apparatus.

Advice on general occupational hygiene

Keep away from: Food and feedingstuffs Wash hands before breaks and after work. Separate storage of work clothes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

No special measures are necessary.



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 4 of 9

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

none

7.3. Specific end use(s)

Heat transferring agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
111-46-6	2,2'-Oxydiethanol	23	101		TWA (8 h)	WEL
11130-12-4	Disodium tetraborate, pentahydrate	-	1		TWA (8 h)	WEL
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

8.2. Exposure controls





Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: blue

Odour: characteristic
Odour threshold: not determined

Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

106 °C

boiling range:

Sublimation point: not determined



Safety Data Sheet

according to UK REACH Regulation

	according to OK REACH Regulation	
	Alphacool ES Liquid GL50 (-40°C) 1000ml	
Revision date: 30.10.2023	Product code: 1015596	Page 5 of 9
Softening point:	not determined	
Pour point:	not determined	
:	not determined	
Flash point:	not applicable	
Flammability		
Solid/liquid:	not applicable	
Gas:	not applicable	
Explosive properties The product is not: Explosive.		
Lower explosion limits:	not determined	
Upper explosion limits:	not determined	
Auto-ignition temperature:	not determined	
Self-ignition temperature		
Solid:	not applicable	
Gas:	not applicable	
Decomposition temperature:	not determined	
pH-Value:	not determined	
Viscosity / dynamic:	not determined	
Viscosity / kinematic:	not determined	
Flow time:	not determined	
Water solubility:	easily soluble	
Solubility in other solvents		
not determined		
Dissolution rate:	not determined	
Partition coefficient n-octanol/water:		
Dispersion stability:	not determined not determined	
Vapour pressure: Vapour pressure:	not determined	
Density (at 20 °C): Relative density:	1,095 g/cm ³ not determined	
Bulk density:	not determined	
Relative vapour density:	not determined	
Particle characteristics:	not determined	
9.2. Other information		
Information with regard to physica	al hazard classes	
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Solvent separation test:	not determined	
Solvent content:	not determined	
Solid content:	not determined	
Evaporation rate:	not determined	
Further Information	not determined	
i uruiei iiiloiillauoii		

SECTION 10: Stability and reactivity



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 6 of 9

10.1. Reactivity

No further relevant information available.

10.2. Chemical stability

Thermal decomposition Thermal decomposition/ Conditions to avoid: No hazardous reaction when handled and stored according to provisions.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

No further relevant information available.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

Carbon monoxide aldehydes Gases/vapours, toxic Carbon dioxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 746,3 mg/kg

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
107-21-1	ethanediol; ethylene glycol					
	oral	ATE 5 mg/kg	500			
	dermal	LD50 1 mg/kg	10600	Rabbit	GESTIS	
111-46-6	2,2'-oxybisethanol; diethylene glycol					
	oral	ATE 5 mg/kg	500			
	dermal	LD50 1 mg/kg	11890	Rabbit		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 7 of 9

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity: No further relevant information available.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-46-6	2,2'-oxybisethanol; diethylene glycol					
	Acute fish toxicity	LC50 > 32000 mg/l	96 h	Gambusia affinis		

12.2. Persistence and degradability

No further relevant information available.

12.3. Bioaccumulative potential

No further relevant information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
107-21-1	ethanediol; ethylene glycol	-1,36
111-46-6	2,2'-oxybisethanol; diethylene glycol	-1,98 (25°C)

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH. not applicable

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

Water hazard class 3: strongly hazardous to water.

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.



SMART AND EFFICIENT

Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 8 of 9

14.4. Packing group: No dangerous good in sense of this transport regulation.

Danger releasing substance: not applicable

14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59): disodium tetraborate pentahydrate; borax pentahydrate

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 30, Entry 75

2004/42/EC (VOC): 67 % (733,65 g/l)

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

National regulatory information

Water hazard class (D): 3 - highly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds



Safety Data Sheet

according to UK REACH Regulation

Alphacool ES Liquid GL50 (-40°C) 1000ml

Revision date: 30.10.2023 Product code: 1015596 Page 9 of 9

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
STOT SE 2; H371	

Relevant H and EUH statements (number and full text)

H302 Harmful if swallowed.

H360FD May damage fertility. May damage the unborn child.

H371 May cause damage to organs.

H373 May cause damage to organs (...) through prolonged or repeated exposure.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)